



Special EU Programmes Body Comhlacht na gClár Speisialta AE Special EU Skemes Boadie

Investment Area 5.1: Biodiversity, Nature Recovery and Resilience.

Draft Priority Habitats and Species across the Programme Area

Overview:

Projects applying under Theme 5 (Supporting a Sustainable and Better Connected Future), Investment Area 5.1, should demonstrate how they will contribute to the **objective** to enhance protection and preservation of nature, biodiversity and green infrastructure, including in urban areas, and reduction in all forms of pollution. Projects will promote cross-border co-operation to facilitate the recovery of selected habitats and species across the Programme Area and build on current INTERREG VA Programme by continuing to promote cross border co-operation facilitating the recovery of additional protected habitats and priority species.

These projects should **result** in an increase in the surface area of selected habitats and habitats for species in improving conditions that create a more cohesive society through an increased provision of community spaces, key services and supports in rural areas.

Each table outlines the places, habitats and species which will be prioritized in assessing applicants to the PEACEPLUS Investment Area 5.1: Biodiversity, Nature Recovery and Resilience. They are linked directly to government priorities in both jurisdictions, European Commission priorities. Projects should demonstrate how they plan to achieve results in habitat(s) or for species which have been identified as priorities in the Programme Area. The following tables comprise a list of these priority habitats and species, which have been agreed with the relevant government departments. These tables represent the core designated areas of each of the habitats and species. There may be other areas which are central to the ecological functioning of the habitat (and supported species) and may be considered as part of a habitat / species project or part of a Region Wide project. Accountable Departments are open to considering proposals that go beyond these. However, early engagement with Programme Officials during development of project proposals is recommended to ensure alignment with national and local priorities. Applicants should consider how they will contribute to the achievement of the output and result indicators through focusing on sites and species outlined within this document.

Please note that these priorities will require approval by the PEACEPLUS Programme Monitoring Committee, and as such, may be subject to changes up to the time of the official launch of the Call for Applications later this year. SEUPB is sharing this information to allow partnerships to continue to develop their applications with as much information as possible.

Key Terms: *Features* refer to the specific items which actions seek to improve/protect; *Special Areas of Conservation (SAC)* are geographical areas dedicated to conservation of features; *Special Protection Areas (SPAs)* are areas with have regulations and restrictions in place in order to protect features, *Areas of Special Scientific Interest (ASSIs)* are concerned with the conservation, protection and increased understanding of features and Natural Heritage Areas (NHAs) are concerned with the conservation and increased understanding of features and Natural Heritage Areas.



| Key Habitat | SAC / SPA supporting the feature | ASSI supporting the feature |
|------------------------------|---|---------------------------------|
| European feature: | Lowland sites: | Knock Dhu and Sallagh Braes |
| Alkaline Fens H7230 : | Lecale Fens: 6ha – Site extent | Ballybannan |
| 22.55ha | 40.87ha (13ha claimed from | Ballykilbeg |
| | Interreg) | Ballynagross Lower |
| ASSI feature: Fens | Ballycam | Carey Valley |
| | Carrowcarlin | Kiltubbrid Loughs |
| Interreg VA = 13ha | Corbally | Lough Navar Scarps and Lakes |
| | Loughkeelan | Marlbank |
| | Magheraveely Marl Loughs: | Round Lough and Lough Fadda |
| | 6.8ha | Sheepland Coast |
| | Annachullion Lough | Tullybrick Lough |
| | | |
| | Burdautien Lough Drumpgrittin Lough | |
| | Drumacrittin Lough | |
| | Kilroosky Lough | |
| | Knockballymore Lough | |
| | Summerhill Lough | |
| | | |
| | Upland sites: | |
| | Garron Plateau: 5ha | |
| | West Fermanagh Scarplands: | |
| | 1ha | |
| | Monawilkin | |
| | | |
| European feature: | Carn/Glenshane: 1651.4ha | Altikeeragh: 76.59ha |
| Blanket Bog H7130 | Cuilcagh Mountain: 1339.5ha | Belmore Mountain: 161ha |
| SAC: 9967.7ha (new | (550ha claimed through | Big Dog Scarps and Lakes: |
| figure includes | Interreg) | Croagh Bog: 80ha |
| 52.15ha from | Eastern Mournes: 318ha | Gortnasole Glebe and |
| Largalinny but not a | Garron Plateau: 3723.6ha | Meenadone: |
| feature) | (475ha claimed through | Lough Navar Scarps and Lakes: |
| | Interreg) | 54ha |
| ASSI feature: Blanket | Largalinny: 52.15ha | Marlbank: 230ha |
| Bog: 4419.44ha | Pettigoe Plateau: 804ha | Western Mournes: |
| 208, 112,4410 | Slieve Beagh: 1112ha (1051ha | Essan Burn and Mullyfamore: |
| Interreg VA = 2076ha | claimed through Interreg) | 422.55ha |
| | Teal Lough: 155.2ha | Glennasheevar: 193.3ha |
| | Teal Lough and | Killeter Forest Bogs and Lakes: |
| | Slaghtfreeden Bogs | Lough Naman Bog and Lake: |
| | | 30ha |
| | Teal Lough Part II | Jona |

Table 1: Key habitats and associated sites in Northern Ireland¹

¹ INTERREG VA ha figures refer to the Hectares sought to be improved under the INTERREG VA Programme.



| | West Fermanagh Scarplands: 811.85ha | Mullaghcarn: 1904ha Murrins: 318ha Slieveanorra and Croaghan: 950ha |
|---|---|--|
| European feature: Active Raised Bog H7110: 1449.71ha | Ballynahone Bog: 131 Active - 244ha incl DRB (207ha claimed through Interreg) | Annaghagh Bog: 55ha Blaeberry Island Bog: 7.34ha McKean's Moss: 8.44ha |
| Degraded Raised Bog H7120: 169.66ha Interreg VA = 807.5ha | Black Bog: 166.2ha Main Valley Bogs: 158.8ha Caldanagh Bog Dunloy Bog Frosses Bog Cranny Bogs: 69.37ha – incl DRB 78.9ha (73ha claimed | McKean's Moss Part II Moneystaghan Bog: 83.71ha Tattenamona: 13.34ha |
| ASSI feature: Lowland Raised bog: 167.83ha | through Interreg) Curran Bog: 52.46 + 52.46ha DRB Dead Island Bog: 50.29ha Deroran Bog: 66.13ha Fairy Water Bogs: 188ha - | |
| | (177.5ha claimed through Interreg) Garry Bog: 142.7ha - 154.76ha (114ha claimed through Interreg) Garry Bog | |
| | Garry Bog Part II Moneygal Bog: 114.2ha - (85ha claimed through Interreg) Moneygal Bog | |
| | Moneygal Bog Moneygal Bog Part II Moninea Bog: 35.5 Peatlands Park: 21.8ha + 117.2ha DRB - (130ha claimed through Interreg) Tonnagh Beg Bog: 49.96ha | |
| | Tully Bog: 23.77ha - (21ha claimed through Interreg) Wolf Island Bog: 103.1ha | |
| European feature: Hard oligo- mesotrophic waters with benthic vegetation of <i>Chara</i> spp. (Marl lakes) H3140: 6.21ha | Magheraveely Marl Loughs: Annachullion Lough Burdautien Lough Drumacrittin Lough Kilroosky Lough Knockballymore Lough | Tullybrick Lough |



| | Summerhill Lough | |
|----------------------|--|-------------------------------|
| ASSI feature: Fens | | |
| | | Tullubrials Laurah |
| European feature: | Magheraveely Marl Loughs: | Tullybrick Lough |
| Calcareous fens with | Annachullion Lough | |
| Cladium mariscus | Burdautien Lough | |
| and species of the | Drumacrittin Lough | |
| Caricion davallianae | Kilroosky Lough | |
| H7210: 0.8ha | Knockballymore Lough | |
| | Summerhill Lough | |
| ASSI feature: Fens | | |
| European feature: | West Fermanagh Scarplands | Marlbank |
| Petrifying springs | | |
| with tufa formation | | |
| (Cratoneurion) | | |
| H7220: 0.5ha | | |
| | | |
| ASSI feature: N/A | | |
| European feature: | Lowland sites: | Lough Alaban |
| Transition mires and | Derryleckagh: 14.6ha | Prolusk |
| | Turmennan: 4.6ha | |
| quaking bogs H7140: | Turmerman. 4.0na | Aughnadarragh Lough |
| 42.2ha | | Black Lough (Down) |
| | | Black Lough (Tyrone) |
| ASSI feature: Fens | Upland sites: | Brackagh Bog |
| | Garron Plateau: 23ha | Cashel Loughs |
| | Pettigoe Plateau | Castle Enigan |
| | | Crossbane Lough |
| | | Cullentra Lough |
| | | Derrycloony Lough |
| | | Derryvore |
| | | Drumcarn |
| | | Drumcrow |
| | | Drumlougher Lough |
| | | Fair Head and Murlough Bay |
| | | Fymore Lough |
| | | Greenan |
| | | Greenan Lough |
| | | 0 |
| | | Heron and Carrigullian Loughs |
| | | Lackan Bog |
| | | Lough Corr |
| | | Lough Gullion |
| | | Lough McCall |
| | | Lough na blaney bane |
| | | Loughaveeley |
| | | Lurgan Lough |
| | | Moyrourkan Lough |
| | | Peatlands Park |
| | | Rathlin Island - Ballycarry |
| | | Hatini Island Bunycurry |



| European feature: Northern Atlantic wet heaths with <i>Erica tetralix</i> H3010: 2011.4ha ASSI feature: Wet heath: 173ha | Eastern Mournes: 889ha Cuilcagh Mountain: 500.1ha Garron Plateau: 372ha Pettigoe Plateau: 116.8ha West Fermanagh Scarplands: 133.5ha | Rathlin Island – Kebble Selshion Slieve Gullion Straghans Lough Big Dog Scarps and Lakes Fair Head and Murlough Bay: 30 Giants Causeway and Dunseverick: Glenasheever Lough Navar Scarps and Lakes Marlbank: 190 Mullaghcarn Murrins Prolusk: 22 Rathlin Island Kebble: 10 Tower More: 10ha Western Mournes |
|--|---|---|
| European feature: Alpine and Boreal heaths H4060 : 53.2ha ASSI feature: | Cuilcagh Mountain: 20.91ha Eastern Mournes: 32.29ha | Slieveanorra and Croaghan |
| Montane heath European feature: Calcareous fens with <i>Cladium mariscus</i> and species of the <i>Caricion davallianae</i> H7210: 0.8ha ASSI feature: Fens | Magheraveely Marl Lakes | |
| European feature: Bog Woodland H91D0 | Breen Wood Peatlands Park | |



Table 2: Species of EU concern linked to wetland terrestrial habitats and associated sites inNorthern Ireland.

| Key Species | SAC / SPA supporting the feature | ASSI supporting the feature |
|---|--|---|
| European feature: Hen Harrier Circus cyaneus / Merlin Falco columbarius | Antrim Hills Slieve Beagh | Garron Plateau Slieveanorra and Croaghan Upland blanket bog areas supporting the species |
| European feature: Marsh Fritillary <i>Euphydryas aurinia</i> ASSI feature: Marsh | Aughnadarragh Lough Ballykilbeg Magilligan Montiaghs Moss Murlough | Rush pasture and other grassland and fen sites support this species. e.g. Marlbank Stranacally Glen East |
| Fritillary European feature: | Magheraveely Marl | Glennasheevar Tower More Lough Navar Scarps and Lakes |
| White-clawed Crayfish Austropotamobius pallipes | Loughs: Burdautien Lough Drumacrittin Lough Kilroosky Lough | Drumacrittin Lough Kilroosky Lough Knockballymore Lough Summerhill Lough |
| ASSI feature: N/A | Knockballymore Lough Summerhill Lough | Sites with historical presence: Tempo River Upper Ballinderry River Lough Naman Bog and Lake Largalinny Lough Scolban Monawillkin Lough Pettigoe Plateau West Fermanagh Scarplands Cliffs of Magho Lough Corry Edenclogh Wood Benburb |
| European feature: Geyer's Whorl snail <i>Vertigo Geyeri</i> ASSI feature: N/A | Cuilcagh Mountain Carn Glenshane Monawilkin | Knowledge gaps in occurrence |
| European feature: Desmoulin's Whorl Snail Vertigo moulinsiana | Lecale Fens | Knowledge gaps in occurrence, found during Interreg VA surveys at Corbally ASSI part of Lecale Fens SAC |
| ASSI feature: N/A European feature: Slender Green Feather Moss Drepanocladus | | Knock Dhu and Sallagh Braes |
| (Hamatocaulis) | | Knowledge gaps in occurrence |



| 1 1 1 1 1 1 1 | | |
|-----------------------------|------------------|------------------------------|
| vernicosus ASSI feature: | | |
| N/A | | |
| European feature: | Garron Plateau | |
| Marsh Saxifrage | | |
| Saxifraga hirculus | | |
| ASSI feature: N/A | | |
| European feature: N/A | N/A | Cruninish Island |
| | | Dernish Island |
| | | Devenish Island |
| ASSI feature: | | Hare Island |
| Breeding wader | | Horse Island |
| assemblage* | | Inishroosk |
| | | Lough Beg |
| | | Lough Neagh |
| | | Upper Lough Erne - Belleisle |
| | | Upper Lough Erne – Trannish |
| | | Finn Floods |
| | | Maghaberry |
| European feature: | Pettigoe Plateau | Upland blanket bog areas |
| Golden Plover Pluvialis | | supporting the species |
| <i>apricaria</i> - Breeding | | e.g. Cuilcagh Mountain |
| sites | | |
| ASSI feature: Golden | | |
| Plover | | |

* **Breeding waders** – Curlew Numenius arquata, Lapwing Vanellus vanellus, Redshank Tringa totanus & Snipe Gallinago gallingo



Table 3 Key habitats and associated sites in Ireland²

| Key Habitat | SAC | Supporting the feature as a QI | NHA supporting the feature |
|--|--------|--|----------------------------|
| European feature: | | | |
| Oligotrophic | 000142 | Gannivegil Bog SAC | |
| waters containing very few minerals | 000197 | West of Ardara/Maas Road SAC | |
| of sandy plains (Littorelletalia | 000584 | Cuilcagh - Anierin Uplands SAC | |
| uniflorae) 3110 | 002301 | River Finn SAC | |
| | | | |
| European feature: Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or Isoeto- Nanojuncetea 3130 | 000197 | West of Ardara/Maas Road SAC | |
| European feature: Natural | 000584 | Cuilcagh - Anierin Uplands SAC | |
| dystrophic lakes and ponds 3160 | 002032 | Boleybrack Mountain SAC | |
| European feature: Water courses of plain to montane levels with the Ranunculion fluitantis and Callitricho- Batrachion vegetation 3260 | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC | |

² For further site-specific information, see individual site pages at <u>https://www.npws.ie/protected-sites</u>



| Key Habitat | SAC | C supporting the feature as a QI | NHA supporting the feature |
|--|--------|--|----------------------------|
| European feature: Northern Atlantic | 000140 | Fawnboy Bog/Lough Nacung SAC | |
| wet heaths with <i>Erica tetralix</i> | 000142 | Gannivegil Bog SAC | |
| 4010 | 000168 | Magheradrumman Bog SAC | |
| | 000197 | West of Ardara/Maas Road SAC | |
| | 000453 | Carlingford Mountain SAC | |
| | 000584 | Cuilcagh - Anierin Uplands SAC | |
| | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC | |
| | 001656 | Bricklieve Mountains and Keishcorran SAC | |
| | 002032 | Boleybrack Mountain SAC | |
| | 002301 | River Finn SAC | |
| | | | |
| European feature: European dry | 000197 | West of Ardara/Maas Road SAC | |
| heaths 4030 | 000453 | Carlingford Mountain SAC | |
| | 000584 | Cuilcagh - Anierin Uplands SAC | |
| | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC | |
| | 001656 | Bricklieve Mountains and Keishcorran SAC | |
| | 002032 | Boleybrack Mountain SAC | |
| | | | |
| European feature: | | | |
| Alpine and Boreal heaths | 000197 | West of Ardara/Maas Road SAC | |
| 4060 | 000453 | Carlingford Mountain SAC | |
| | 000584 | Cuilcagh - Anierin Uplands SAC | |
| | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC | |
| | 001656 | Bricklieve Mountains and Keishcorran SAC | |
| | | | |



| Key Habitat | SAC | C supporting the feature as a QI | NHA supporting the feature |
|----------------------------------|--------|----------------------------------|----------------------------|
| European feature: | | | |
| Juniperus | 000197 | West of Ardara/Maas Road SAC | |
| communis | | | |
| formations on | 000623 | Ben Bulben, Gleniff and Glenade | |
| heaths or | | Complex SAC | |
| calcareous | | | |
| grasslands | | | |
| 5130 | | | |
| European feature: | | | |
| Semi-natural dry | 000453 | Carlingford Mountain SAC | |
| grasslands and | 000594 | Cuileagh Aniarin Unlands SAC | |
| scrubland facies | 000584 | Cuilcagh - Anierin Uplands SAC | |
| on calcareous | 000623 | Ben Bulben, Gleniff and Glenade | |
| substrates | | Complex SAC | |
| (Festuco | | | |
| Brometalia) | | | |
| (*important | | | |
| orchid sites) | | | |
| 6210 | | | |
| European feature: | | | |
| <i>Molinia</i> meadows | 000197 | West of Ardara/Maas Road SAC | |
| on calcareous, | 002032 | Boleybrack Mountain SAC | |
| peaty or clayey- | 002032 | boleybrack mountain SAC | |
| silt-laden soils | | | |
| (Molinion | | | |
| caeruleae) | | | |
| 6410 | | | |
| European feature: | 000623 | Pop Bulhan, Claniff and Clanada | |
| Hydrophilous tall herb fringe | 000025 | Ben Bulben, Gleniff and Glenade | |
| communities of | | Complex SAC | |
| plains and of the | | | |
| montane to | | | |
| alpine levels | | | |
| 6430 | | | |
| European feature: | | | |
| Lowland hay | 000197 | West of Ardara/Maas Road SAC | |
| meadows | | | |
| (Alopecurus | | | |
| pratensis, | | | |
| Sanguisorba | | | |
| officinalis) | | | |
| 6510 | | | |



| Key Habitat | SAC | Supporting the feature as a QI | NHA | supporting the feature |
|--------------------------------------|--------|--|--------|-----------------------------------|
| European feature: | | | | |
| Blanket bogs (* if active bog) | 000140 | Fawnboy Bog/Lough Nacung SAC | 000009 | Slieve Rushen Bog NHA |
| 7130 | 000142 | Gannivegil Bog SAC | 000122 | Cashelnavean Bog NHA |
| | 000168 | Magheradrumman Bog SAC | 001108 | Corveen Bog NHA |
| NHA theme: Peatlands | 000197 | West of Ardara/Maas Road SAC | 001127 | Illies Hill Bog NHA |
| | 000453 | Carlingford Mountain SAC | 001159 | Lough Fad Bog NHA |
| | 000584 | Cuilcagh - Anierin Uplands SAC | 001603 | Eshbrack Bog NHA |
| | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC | 001878 | Crocknamurrin Mountain Bog NHA |
| | 001656 | Bricklieve Mountains and | 001902 | Slieveward Bog NHA |
| | | Keishcorran SAC | 002321 | Corry Mountain Bog NHA |
| | 002032 | Boleybrack Mountain SAC | 002322 | Slieve Snaght Bogs NHA |
| | 002301 | River Finn SAC | 002375 | Barnesmore Bog NHA |
| | | | 002384 | Dough/Thur Mountains NHA |
| | | | 002405 | Camowen River Bog NHA |
| | | | 002406 | Umrycam Bog NHA |
| | | | 002415 | Carrane Hill Bog NHA |
| | | | 002430 | Aghavogil Bog NHA |
| | | | 002435 | Crockauns/Keelogyboy Bogs N |
| | | | 002437 | Meenagarranroe Bog NHA |
| | | | 002452 | Lough Hill Bog NHA |
| | | | 002453 | Meenmore West Bog NHA |
| | | | | |
| European feature: | | | | |
| Transition mires | 000453 | Carlingford Mountain SAC | | |
| and quaking bogs 7140 | 000584 | Cuilcagh - Anierin Uplands SAC | | |
| | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC | | |
| | 002301 | River Finn SAC | | |
| | | | | |
| European feature: Depressions on | 000140 | Fawnboy Bog/Lough Nacung SAC | | |
| peat substrates of | 000197 | West of Ardara/Maas Road SAC | | |
| the Rhynchosporion 7150 | 000137 | | | |



| Key Habitat | SAC | Supporting the feature as a QI | NHA supporting the feature |
|---|----------------------------|---|----------------------------|
| European feature: Petrifying springs with tufa formation (Cratoneurion) 7220 | 000584 000623 001656 | Cuilcagh - Anierin Uplands SAC Ben Bulben, Gleniff and Glenade Complex SAC Bricklieve Mountains and Keishcorran SAC | |
| European feature: Alkaline fens 7230 | 000197 000453 000623 | West of Ardara/Maas Road SAC Carlingford Mountain SAC Ben Bulben, Gleniff and Glenade Complex SAC | |
| European feature: Siliceous scree of the montane to snow levels (Androsacetalia alpinae and Galeopsetalia ladani) 8110 | 000453 000584 000623 | Carlingford Mountain SAC Cuilcagh - Anierin Uplands SAC Ben Bulben, Gleniff and Glenade Complex SAC | |
| European feature: Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii) 8120 | 000623 001656 | Ben Bulben, Gleniff and Glenade Complex SAC Bricklieve Mountains and Keishcorran SAC | |
| European feature: Calcareous rocky slopes with chasmophytic vegetation 8210 | 000453 000623 001656 | Carlingford Mountain SAC Ben Bulben, Gleniff and Glenade Complex SAC Bricklieve Mountains and Keishcorran SAC | |
| European feature: Siliceous rocky slopes with chasmophytic vegetation 8220 | 000453 000584 | Carlingford Mountain SAC Cuilcagh - Anierin Uplands SAC | |



Table 4: Species of EU concern linked to wetland terrestrial habitats and associated sites in Ireland³

| Key Species | | SAC/SPA supporting the feature |
|---|------------------|---|
| European feature: | | |
| Vertigo geyeri | 000197 | West of Ardara/Maas Road SAC |
| 1013 | 000623 | Ben Bulben, Gleniff and Glenade Complex SAC |
| European feature: | | |
| Margaritifera margaritifera | 000140 | Fawnboy Bog/Lough Nacung SAC |
| 1029 | 000197 | West of Ardara/Maas Road SAC |
| European feature: Euphydryas aurinia | 000197 | West of Ardara/Maas Road SAC |
| 1065 | 000137 | west of Alaray Mads Road SAC |
| European feature: | 000107 | West of Anders /Mass Dood CAC |
| Salmo salar 1106 | 000197 002301 | West of Ardara/Maas Road SAC River Finn SAC |
| 1100 | 002301 | NVEL FILLI SAC |
| European feature: | 000107 | |
| Lutra lutra 1355 | 000197 000623 | West of Ardara/Maas Road SAC |
| 1222 | 000823 | Ben Bulben, Gleniff and Glenade Complex SAC River Finn SAC |
| European feature: | | |
| Hamatocaulis vernicosus 1393 | 000584 | Cuilcagh - Anierin Uplands SAC |
| European feature: | 000107 | Mast of Audous (Mass Deed SAC |
| Petalophyllum ralfsii 1395 | 000197 | West of Ardara/Maas Road SAC |
| European feature: | 000197 | West of Ardors (Mass Dood SAC |
| Najas flexilis 1833 | 000197 | West of Ardara/Maas Road SAC |
| European feature: | 004197 | Cligo / Laitzing Unlands CDA |
| Falco peregrinus A103 | 004187 | Sligo/Leitrim Uplands SPA |
| European feature: | | |
| Larus fuscus (breeding) A183 | 004057 | Lough Derg (Donegal) SPA |
| European feature: | 004057 | |
| Larus argentatus (breeding) A184 | 004057 | Lough Derg (Donegal) SPA |
| | | |

³ For further site-specific information, see individual site pages at <u>https://www.npws.ie/protected-sites</u>



| Key Species | | SAC/SPA supporting the feature |
|------------------------------|--------|--------------------------------|
| European feature: | | |
| Pyrrhocorax pyrrhocorax | 004187 | Sligo/Leitrim Uplands SPA |
| A346 | | |
| Numenius arquata (breeding) | N/A | |
| Vanellus vanellus (breeding) | | |
| | N/A | |
| Tringa totanus (breeding) | | |
| | N/A | |
| Gallinago gallinago | | |
| (breeding) | N/A | |